Commercial Harbor Craft Proposed Regulation Workshop



Sacramento

February 16, 2006

California Environmental Protection Agency


Air Resources Board

Overview

- Vessel numbers and emissions
- Background information
- Regulatory concepts
- Costs
- Regulation timeline
- Other issues


Harbor Craft Emission Reductions Key to Multiple Plans


- Diesel Risk Reduction Plan
- Goods Movement Plan
 - Harbor craft goals:
 - 2010 -25% reduction
 - 2015 -30% reduction
 - 2020 -40% reduction
- San Pedro Bay Port Clean Air Action Plan
 - Third largest emissions impact after ocean going vessels and cargo handling equipment
- State Implementation Plan (SIP)





Harbor Craft Vessel & Engine Quantities


Vessel Type	Number of Vessels	Number of Engines		Average Horsepower of Engines	
		Propulsion	Auxiliary	Propulsion	Auxiliary
F/T/T Sub-Total/Average	579	1156	757	853	97
WCPO Sub-Total/Average	316	487	166	279	40
Non-Fishing Total/Average	895	1643	923	558	82
Fishing Vessel Total	3290	4050	1696	310	62
Total/Average All Commercial Harbor Craft	4185	5693	2619	503	78


















Estimated Fleet Sizes

- Ferry
 - 8 or more vessels 40%
 - 4-7 vessels 20%
 - 2-3 vessels 15%
 - Single vessel owners 25%
- Tug/Tow
 - 8 or more vessels 55%
 - 4-7 vessels 20%
 - 2-3 vessels 20%
 - Single vessel owners 5%

13



U.S. EPA Marine Engine Standards

- Tier 0 Engines are unregulated (<2004)
 - Majority of the commercial harbor craft engines
- U.S. EPA has established Tiered Standards
 - Tier I (2004)
 - Tier II (2004-2007)
 - Vary by engine displacement and model year
- Tier III are not yet promulgated

1.4

Approximate Emission Reductions for Engine Repowers

U.S. EPA	U.S. EPA	NOx	PM	
Marine Tier	Marine Tier	Reductions	Reductions	
Tier 0	Tier I	40 %	25 %	
Tier 0	Tier II	60 %	65 %	
Tier 0	Tier III*	70 %	80 %	
Tier I	Tier II	40 %	50 %	

^{*}ARB estimate

CARB Fuel Standard for Harbor Craft

- 15 ppm CARB low sulfur diesel fuel required for all harbor craft starting January 1, 2007
- Sold in South Coast District AQMD starting January 1, 2006.
- Sold statewide starting September 1, 2006.
- Reduction of
 - NOx 0.2 tons per day
 - SOx 1.5 tons per day
 - PM 0.5 tons per day


17

Additional Options to Reduce Emissions

- Repower engines to Tier II
- Diesel emission control retrofits
 - Currently no CARB verified strategies

Diesel Emission Control Retrofits for Harbor Craft

- No verified marine retrofits
- Blue and Gold Ferry Demonstration
 - Installing PM traps on main engines
 - Successful PM traps on aux. engines
- Navy Workboat Demonstration
 - Successful low emission engine rebuild and retrofit PM trap.
- Continue to work with vessel owners to get retrofits installed and tested.



Regulatory Approach

- Ferries, tugs, and tow vessels
 - Control largest emission source first
 - Rationale:
 - ~70 % of NOx and ~70 % of PM total harbor craft emissions
 - High near shore emissions
- All other harbor craft
 - Initial reporting and recordkeeping
 - Rationale:
 - · Work further from shore
 - · Declining commercial fishing fleet
 - Address emission reductions at a later date

21

All New Harbor Craft Vessels

- Require most current EPA engine
 - Sell through provisions
 - Most current engine available when vessel is designed.

All New Ferries

 Require most current EPA engine + combined PM and NOx reduction of 85%

23

In-Use Requirements for All Vessels

- Install non-resettable hour meter
- Reporting and recordkeeping requirements

In-Use Vessels Other Than Ferries, Tugs, and Tow

- Crew and supply boats
- Pilot boats
- Work boats
- Charter fishing vessels
- Commercial fishing vessels
- Other vessels

25

Reporting and Recordkeeping Opportunities

- Recordkeeping and reporting requirements possibly starting 2008
- Retain opportunity for Carl Moyer and other funds.
 - Reporting and recordkeeping may be required to receive certain funds.
 - Additional PM, NOx, and other emission reductions.
- Regulatory action possible in future

Phased Engine Replacement for In-Use Ferries, Tugs, and Tow

- Phase in schedule oldest high use engines first
- Additional time for fleets with multiple vessels.
- Investigating allowing engine replacement to coincide with rebuild schedule.

27

In-Use Compliance Options for Ferries, Tugs, and Tow

- Repower vessel engine certified to meet the current U.S. EPA Marine Emission Standards.
- Demonstrate the current engine meets the current U.S. EPA Marine Emission Standard
- Possible retrofit option

Alternative Compliance Plan

- Only harbor craft under direct control of the owner/operator per port
- Operators may comply using alterative emission control strategies.
- Must achieve equivalent or greater reductions
- Applications include a public review process


29


Regulatory Extensions with ARB Approval

- Vessel near retirement
- Use of a non-verified emission control strategy
- Changes in hours of operation, sales, and change of ownership.
- No suitable engine replacement.

Exempt Harbor Craft

- Low use <300 hour annual use
- Non-profit research vessels
- Temporary emergency rescue and recovery vessels.
- Registered historic vessels
- Military tactical support vessels
- Ocean-going and recreation vessels
- Engines using alternative fuels exclusively





New Vessel Tug and Ferry Cost

- Ferry
 - -8 million+ per vessel
- Tug / Tow
 - -5 million per vessel

Ferry Engine Repower Estimated Cost

- 2 Main / 1 Auxiliary Engine
 - \$400K based on \$250/hp
 - \$3,400/ton NOx and \$40/lb of PM
 - \$3,600 Carl Moyer cost effectiveness calculation

35

Tug Engine Repower Estimated Cost

- 2 Main / 1 Auxiliary Engine
 - -\$670K based on \$250/hp
 - \$3,700/ton NOx and \$50/lb of PM
 - \$4,200 Carl Moyer cost effectiveness calculation


Estimated Total Cost

- Replace all Ferry, Tug/Tow with Tier II engines
 - About \$200 million
 - About 1600 engines at \$250/hp

37

Other Factors Impacting Repower

- Obtaining dry dock time
- Sufficient engine installer capacity
- Design time
- Lead time for engine delivery
- Coast Guard approval
- Lost service time



Regulation Timeline

- Mid to late March 2007- Next workshop
- May 2007 Release Initial Statement of Reasons
 - Start 45 day comment period
- July 2007 Present to Board for consideration

Outstanding Issues

- Vessels visiting CA
- Overlap with other regulations and ATCMs
- Compliance timelines
- Alternatives to meet emission reduction goals
- Useful economic life



41

Commercial Harbor Craft Team Contact List

Todd Sterling (Team Lead)

e-mail: tsterlin@arb.ca.gov phone: 916.445.1034

Kirk Rosenkranz

e-mail: krosenkr@arb.ca.gov phone: 916.327.7843

Bonnie Soriano

e-mail: bsoriano@arb.ca.gov phone: 916.327.6888

Kathleen Truesdell

e-mail: ktruesde@arb.ca.gov phone: 916.327.5638 Chengfeng Wang

e-mail: cwang@arb.ca.gov Phone: 916.322.1719

John Lee

e-mail: jlee@arb.ca.gov phone: 916.327.5975

Cherie Rainforth, Manager

e-mail: crainfor@arb.ca.gov Phone: 916.327.7213

 Dan Donohoue, Chief Emissions Assessment Branch

e-mail: ddonohoue@arb.ca.gov Phone: 916.322.6023

